Powerful pollinators

Encouraging insect pollinators on farms and in gardens



Pollinators are an essential component of agricultural production and of healthy, biodiverse landscapes. Protecting and enhancing pollinator resources on farms will help support a diverse range of pollinators. This brochure provides an introduction to encouraging insect pollinators on farms, including a guide to choosing plants that will support diverse pollinators throughout the year.



The power of pollinators

Pollinators – mostly insects, but also birds and mammals – assist the production of seeds and fruit in many plant species by visiting flowers in search of food (nectar and/or pollen). Whilst foraging they transfer pollen from one flower to another, facilitating fertilisation, which results in fruits and seeds.

Honey bees, native bees and other native insects like hoverflies, wasps and butterflies provide essential pollination services for native plants, garden flowers, fruits and vegetables.

Pollinators and food security

Without insect pollinators, the quantity and diversity of food and plants grown in backyard gardens would be severely restricted. Many of the foods we eat, from gardens and farms, benefit from pollination.

Pollinator-dependent foods include citrus, apples, stone-fruits, zucchini, pumpkins, strawberries and tomatoes, as well as plants grown for seed such as sunflowers, coriander and parsley.

The quantity and diversity of insect pollinators are key drivers of production as they influence both food yields and quality. Under-pollination results in smaller and misshapen fruit or seed that isn't viable.

A diverse and healthy community of pollinators generally provides more effective and consistent pollination than relying on any single species.

Pollinators are essential to, and dependent upon, healthy ecosystems. A growing human population and increasing demand for food puts pressure on ecosystems, with potential negative impacts on biodiversity, the environment and food production.



Native vegetation supports pollinators by providing food and nesting sites. Nearby crops and pastures will benefit from the increased abundance and diversity of pollinators in the landscape.

Insect populations are in decline worldwide due to land clearing, intensive or monocultural agriculture, pesticide use, pollution, colony disease, increased urbanisation and climate change. Low pollinator numbers mean not all flowers are pollinated, leading to low fruit or seed set. This in turn reduces fruit and vegetable harvest yields, and decreases food supply.



Under-pollination results in smaller, misshapen fruit such as this strawberry.

Backyard biodiversity

Insect pollinators are a prime example of the importance of healthy ecosystems in urban gardens, parks and reserves. Insects are the 'canaries in the coal mine' of our urban and rural environments. Without our 'littlest creatures', we lack pollinators, natural beneficial pest control services, and critical food source for other insects, birds, amphibians, reptiles and mammals.

The presence of connected and widespread pollinator habitat is critical to support insect populations if we are to maintain sustainable cities and productive, healthy gardens and urban farms for food security and biodiversity.

Pollinators require habitat that contains year-round food sources, breeding resources and nesting sites. The presence of pollinator habitat adjacent to food crops has been shown to improve food production by enabling a greater variety and number of pollinators to persist year-round, providing pollination services when required.

Turn to the centre of this brochure for a guide to planting for pollinators.

Diapause or diet? Where are the insects?

Many insect pollinators undergo a diapause during colder winter months. Diapause is a period of suspended development during unfavourable environmental conditions, and during this period insect pollinators do not need flowers. Birds and other small mammals will continue to benefit from available pollen and nectar during this time.

If there are low numbers of insect pollinators in your local area, it is important to determine whether this is because of diapause, or because of an inadequate availability of nectar and pollen creating a 'food desert' where insect pollinators cannot survive.

There are still many unknowns about insect pollinators in Australia. Take part in Australian Pollinator Week or in the annual Australian Pollinator Count to learn more about pollinators in your area – visit: **AustralianPollinatorWeek.org.au** and **AustralianPollinatorCount.au**

Encouraging pollinators on your property

Create pollination reservoirs

Pollination reservoirs are areas that provide floral resources for pollinators. They can be gardens, new plantings or existing habitat such as established trees, or even local bushland, parks or reserves. A high diversity of plant species is essential to provide nectar, pollen and nesting sites throughout the year. Pollination reservoirs need to be close enough to where pollinators live to ensure that they can fly easily to them.

Improve on what you have

Enhance and improve your existing pollinator habitat where possible. Properties that already contain established trees, rockeries, ponds, bare soil and organic matter, and a variety of flowering plants, are a valuable resource for beneficial insects and pollinators.

Nature-strips, verges, laneways, vegetable gardens, orchards, nature reserves, and riverbanks and creeks can all be important pollinator-attracting areas. Protect and enhance native pollinator plants in your garden and surrounds for the future.

Plant trees, shrubs and groundcovers

Planting a variety of species of groundcovers, shrubs and trees in your garden will further attract pollinators to your patch. Initial watering and protection will improve the success rate of young plants. Some plants such as wildflowers or native pea species are excellent at attracting pollinators, rewarding keen gardeners with a diversity of native pollinators.

Be a citizen scientist and do some detective work to discover local pollinators in your patch. Visit **inaturalist.ala.org.au** to be involved.

Construct insect real estate

Insect hotels, which are both functional and attractive, are a great way to add to habitat and nesting places for pollinators and insects in your backyard or garden. The hotels are easily moved to be close to flowering plants and those needing pollination, especially if you have a new garden that is still growing. Include lots of different sized holes, cracks and crevices to provide homes for various solitary insect pollinators.

Plant for the future

When establishing pollinator habitat, consider including species that are indigenous to your area but can tolerate increasingly drier and warmer conditions, to create resilient habitat for climate change. Rehabilitate weedy areas into managed pollination reservoirs by introducing lots of flowering plant diversity. Be careful not to plant invasive or listed weeds, and look for suitable replacements.

Amplify the flower signal

Plants have evolved large flowers or clusters of smaller flowers because they attract more pollinator visits. Large, colourful and diverse plantings attract more pollinators. Ideally, plant in groups that contain different vegetation layers – combine a species-rich mixture of wildflowers, ground-covers, herbs, lilies, rushes, climbers, shrubs and trees.

Connectivity counts

Insect pollinators benefit from greater connectivity of habitat in a landscape, which allows them to forage over a wider radius and increase in numbers in a local area. Encourage friends and neighbours to plant for pollinators and create connections in your community.

Get to know your local flora

Your local government area has distinct populations of insects, depending on the local flora and environment. Knowing your local insect species will help you develop better plantings.

The plants growing in nearby nature reserves or bushland will be suited to your climate and soils. Local environment groups and specialist native nurseries can provide information about local plants.

Grow a bumper crop

Pollinator-attracting plants include many fruits and vegetables grown in backyards, community and market gardens, and orchards. Pollinators ensure good yields of crops such as apples, beans, avocado, and almonds, and bush foods such as Lilly-Pilly and Finger Limes.

Reduce chemical use

Insecticides, fungicides and herbicides all affect bee, colony and wild pollinator health. Herbicides can impact pollinators by reducing the availability and diversity of flora and removing vegetation that helps support insect life. Some herbicides can also harm the beneficial microbes in the insect gut. Insecticides are an obvious threat to pollinators, yet many beneficial insects will, in healthy numbers, help control pest insects, ultimately reducing the need for insecticide use.

Many crops are dependent on pollination by bees. When chemical pest control is unavoidable, select products that are least harmful for pollinators and apply insecticides in the evening or at night when pollinators are not active. Always use according to directions, especially for withholding periods, and notify beekeepers a few days before spraying chemicals so beehives can be safely relocated away from harm.

Safeguard the bees? The best way to 'save the bees' and protect our pollinators is to create an abundance of diverse habitat – from the ground up! There is much interest in keeping a beehive to promote pollinators, but there are serious legal and biosecurity responsibilities that must be considered, and that the introduction of a beehive does not displace existing native pollinators and insects. Be a friend of pollinators and say it with flowers! A guide to planting for pollinators for the Scenic Rim, Queensland

Healthy populations of insect pollinators are important for sustainable and resilient farms, orchards, gardens, and native flora.

This Guide will help you select plant species to attract and sustain pollinators in agricultural areas and gardens throughout the year.

The Scenic Rim in southeast Queensland is known for its mountain ranges, forests, and national parks. The region contains a unique blend of species due to the overlap of tropical and subtropical forests, making it one of Australia's greatest areas of biodiversity. The Scenic Rim contains one-fifth of Queensland's plant species and has a variety of vegetation groups, including montane heath, rainforests, wet and dry eucalypt forests, and freshwater wetlands. The rural areas of Beaudesert and Boonah have vast areas of productive soils for growing vegetables and other crops.

The plants listed in this Guide will help supply rewards to pollinators, with an emphasis on species that are indigenous and suited to local climates.

Garden centres sell many common pollinator-attracting ornamental flowers and herbs labelled as 'bee-friendly'.

The eucalypt species in this Guide are mostly large trees, and not suitable for all local environment groups. If you can't gardens, but have been included for their source these plants at your local garden value as good nectar producing species. centre, or indigenous nursery, ask them Most eucalypts do not flower every year, to contact the local wholesale nursery so choosing diverse species will help create continuously flowering habitat.





The pollinator plant list

To create pollinator-attracting plantings, use the Guide to choose a selection of plants with a variety of flower colours, different growth habits and a range of flowering seasons.

For each species, the planting Guide lists:

- life-form/'habit' (climber, herb, shrub or tree) and height (m).
- the vegetation type in which they naturally occur
- flower colour and flowering season
- growth requirements (sun/shade, moist/dry)
- insect groups that may visit each plant and the floral reward (pollen and/or nectar).

The coloured bars indicate the flowering months for each species. Darker shading denotes the peak flowering period, with a lighter shading for non-peak flowering months. Flowering dates may differ between regions and seasons, particularly for non-peak times, if your local climate is consistently warmer or cooler than average, with earlier or later flowering.

Sourcing plants

Most of the plant species listed are available from retail or wholesale nurseries or native plant growers, and suppliers and plant growers listed online. See the reverse of the Guide for details.

Lifeform	Common name	Scientific name	Family	Vegetation type	Height	Flower colour		Flower		Aspect	Soil moisture	Pollinator		N. 12 I			n by polli			u er
Crop plants			, ,		'J			lan Feb Mar Apr May Jun	Jul Aug Sep Oct Nov Dec			Pollen	Nectar	Native bees	Honey bees	Hoverflies	Wasps	Butterflies N	Aoths Beet	les Flies
Herbs / Forbs	Carrot	Daucus carota	Apiaceae	Cropping	1.5 m	White	\bigcirc			Sun	Moist to dry	•	•	•	•	•	•		•	
Herbs / Forbs	Onions, Garlic, Leeks	Allium spp.	Amaryllidaceae	Cultivated	0.5-0.75 m	Variable				Sun	Moist to dry	•	•	•	•					
Herbs / Forbs	Lucerne	Medicago sativa	Fabaceae	Pasture / Cropping	30–40 m	Blue, Purple				Sun	Moist to dry	•	•	•	•					
Herbs / Forbs	Tomato	Solanum lycopersicum	Solanaceae	Cultivated	1–3 m	Yellow				Sun to semi-shade	Moist	•*		•						
Vine / Climber	Pumpkin / Squash	Cucurbita maxima	Curcubitaceae	Cultivated	0.6 m	Yellow				Sun to semi-shade	Moist to dry	•	•	•	•				•	
Vine / Climber Indigenous plants	Common Bean	Phaseolus vulgaris	Fabaceae	Cultivated	Climber	White, Pink, Purple				Sun to semi-shade	Moist	•	•	•	•					
Herbs / Forbs	Flannel Flower	Actinotus helianthi	Apiaceae	Forest, Woodland, Heathland	0.3–0.9 m	White	\bigcirc			Sun to semi-shade	Moist to dry	•	•	•	•	•	•	•	• •	
Herbs / Forbs	Yellow Buttons, Everlasting Daisy	Chrysocephalum apiculatum	'	Grassland, Woodland	0.4m	Yellow				Sun	Moist to dry	•	•	•	•	•	•	•	•	,
Herbs / Forbs	Blue Flax-Lily	Dianella brevipedunculata	Asphodelaceae	Dry Rainforest	0.5 m	Blue, Purple				Sun to semi-shade	Adaptable	•*		•						
Herbs / Forbs	Common Flax-Lily	Dianella caerulea	Asphodelaceae	Rainforest, Eucalypt Forest, Woodlands	0.7 m	Blue				Sun to semi-shade	Dry to moist	•*		•						
Herbs / Forbs	Blue Flax-Lily	Dianella longifolia		Wet/Dry Sclerophyll & Open Forest	< 1.5 m	Purple				Sun to semi-shade	Dry to moist	•*		•						
Herbs / Forbs	Star Goodenia	Goodenia rotundifolia	Goodeniaceae	Woodland & Forest	< 0.5 m	Yellow	•			Sun to semi-shade	Adaptable		•	•	•	•		•		
Herbs / Forbs	Guinea Flower	Hibbertia stricta	Dilleniaceae	Open Woodland	0.8–1.2 m	Yellow				Sun to semi-shade	Well Drained	•		•					-	
Herbs / Forbs Herbs / Forbs	Rock Isotome Spiny-Headed Matrush	Isotoma axillaris Lomandra longifolia	Campanulaceae	Rocky Outcrops Rainforest, Eucalypt Forest, Woodlands	< 0.5 m 0.3–1 m	Blue, Mauve				Sun to semi-shade	Moist to dry	•	•	•			•		•	
Herbs / Forbs	Creek Mat-Rush	Lomandra hystrix	Asparagaceae Asparagaceae	Upland & Mountain Rainforest	0.8–1 m	Cream Cream, Yellow				Sun to shade Sun to semi-shade	Variable Moist	•					•	•		
Herbs / Forbs	Native Plumbago	Plumbago zeylanica		Monsoon Forest & Vine Thickets	<1m	White				Shade to Sun	Moist to dry	•	•	•	•	•	•	•		
Herbs / Forbs	Fairy Fan Flower	Scaevola aemula	Goodeniaceae	Wet/Dry Sclerophyll & Open Forest	0.5 m	Blue, White				Sun to semi-shade	Moist	•	•	-	-	-		•		
Herbs / Forbs	Climbing Fan Flower	Scaevola ramosissima		Wet/Dry Sclerophyll & Open Forest	0.6 m	Purple, Mauve				Sun to semi-shade	Moist	•	•					•		
Herbs / Forbs	Darling Pea	Swainsona galegifolia	Fabaceae	Variable	<1m	White, Pink, Mauve, Magenta	a 🚺			Sun to semi-shade	Moist to dry	•	•	•						
Herbs / Forbs	Golden Everlasting, Paper Daisy	Xerochrysum bracteatum	Asteraceae	Forest, Woodland, Grassland	0.2–0.8 m	Yellow	•			Sun	Moist to dry	•	•	•	•	•		•		
Herb to Shrub	Silver Spurflower	Coleus argentatus	Lamiaceae	Rocky Outcrops, Rainforest	<1m	Blue, White				Sun to semi-shade	Moist	•	•	•	•	•	•			
Herb to Shrub	Large-Flowered Goodenia	Goodenia grandiflora	Goodeniaceae	Rocky Outcrops	< 1.5 m	Yellow				Sun	Well Drained		•	•	•	•		•		•
Herb to Shrub	Native Primrose	Ludwigia octovalvis	Onagraceae	Swampy ground	4 m	Yellow Cream				Sun	Moist Well Drained	•	•	•	•	•	•	•	•	
Herb to Shrub Shrub	Grass Tree Brown Wattle	Xanthorrhoea glauca Acacia brunioides	Asphodelaceae Fabaceae	Dry Forest, Woodland, Rocky Slopes, Coastal Dry Sclerophyll Forest, Rocky Outcrops	< 5 m	White to Yellow				Sun Sun to semi-shade	Adaptable	•	•	•	•	•	•	•	• •	
Shrub	Weeping Baeckea	Baeckea frutescens	Myrtaceae	Wood & Heathland, Dry Sclerophyll Forest		White				Sun	Dry	•	•	•	•	•	•	•	• •	
Shrub	Flax-leaf Heath Myrtle	Baeckea linifolia	Myrtaceae	Heath	1.5–2 m	White	0			Sun to semi-shade	Moist to dry	•	•	•	•	•	•	•	• •	
Shrub	Hairpin Banksia	Banksia spinulosa	Proteaceae	Heath, Dry Sclerophyll Forest, Woodland	1–3 m	Orange, Yellow				Sun to semi-shade	Dry	•	•	•	•	•	•	•	• •	
Shrub	Coffee Bush	Breynia oblongifolia	Phyllanthaceae	Open, Monsoon & Dry Rainforest	2–3 m	Green				Sun to semi-shade	Adaptable	•	•						•	
Shrub	Cough Bush	Cassinia laevis	Asteraceae	Wood & Shrublands, Rocky outcrops	1.5–3 m	Cream	\bigcirc			Sun	Adaptable	•	•	•	•	•	•		•	•
Shrub	Finger Lime	Citrus australasica	Rutaceae	Rainforest	4–10 m	White, Cream, Pink, Yellow	v ((()			Sun to semi-shade	Moist to dry	•	•	•	•					
Shrub	Pointed-Leaved Hovea	Hovea acutifolia	Fabaceae	Rainforest Margins	< 4 m	Purple				Sun to semi-shade	Moist	•	•	•	•					
Shrub Shrub	White Dogwood Butterfly Bush	Ozothamnus diosmifolius Pavetta australiensis	Asteraceae Rubiabeae	Rainforest Margins, Heath Dry Rainforest	2–5 m 3–4 m	White, Pink White			_	Sun to semi-shade Sun to semi-shade	Dry to moist Moist to dry	•	•	•	•	•	•	•	•	•
Shrub	Hairy Bush Pea	Pultenaea villosa	Fabaceae	Heath, Dry Sclerophyll Forest	2 m	Yellow				Sun lo serni-shade	Moist to dry		•		•			•	•	
Shrub	Twiggy Myrtle	Sannantha similis	Myrtaceae	Wallum, Open forest	2 m	White, Cream				Sun to semi-shade	Dry to moist	•	•	•	•		•	•	• •	
Shrub	Rainforest Cassia	Senna acclinis	Fabaceae	Subtropical & Dry Rainforest Margins	< 3 m	Yellow	•			Sun	Moist to dry	•*		•						
Shrub	Kangaroo Apple	Solanum aviculare	Solanaceae	Wet Sclerophyll Forest, Dry Sclerophyll Forest	1–4 m	Mauve, Blue, Purple				Sun to semi-shade	Moist to dry	•*		•						
Shrub	Solanum	Solanum nemophilum	Solanaceae	Dry Sclerophyll Forest, Rocky Outcrops	< 1.5 m	Purple				Sun to semi-shade	Adaptable	•*		•						
Shrub to Tree	Fringed Wattle	Acacia fimbriata	Fabaceae	Open Forest, Woodland	< 6 m	Yellow				Sun to semi-shade	Moist to dry	•		•	•	•			•	
Shrub to Tree	Prickly Pine	Bursaria incana		Dry Sclerophyll Forest	3–7 m	Cream, White, Pink				Sun	Dry to moist	•	•	•	•	•	•	•	• •	
Shrub to Tree	Blackthorn	Bursaria spinosa		Dry Sclerophyll Forest, Woodland	10 m	Cream, White, Pink Yellow				Sun to semi-shade	Dry to moist	•	•	•	•	•	•	•	• •	
Shrub to Tree Shrub to Tree	Dogwood Flaky-Barked Tea Tree	Jacksonia scoparia Leptospermum trinervium	Fabaceae Myrtaceae	Woodland, Open Forest Dry Sclerophyll Forest, Heath	12 m 2–5 m	White				Sun Sun to semi-shade	Dry Dry	•	•	•	•	•		•	• •	
Shrub to Tree	Jellybush			Woodland	1–7 m	White				Sun	Moist	•	•	•	•	•	•	•	• •	
Shrub to Tree	Lime Berry	Micromelum minutum	Rutaceae	Rainforest	4–7 m	White	ŏ			Sun	Moist to dry	•	•	•			-	•		
Shrub to Tree	Muttonwood	Myrsine variabilis		Dry Rainforest	6–12 m	Cream	$\overline{\bigcirc}$			Semi-shade to shade	,	•	•	•				•	•	
Shrub to Tree	Native Elderberry	Sambucus australasica	Sambucaceae	Wet Sclerophyll Forest	4–8 m	White	0			Sun to semi-shade	Moist to dry	•	•	•	•	•	•	•		•
Shrub to Tree	Blue Lilly Pilly	Syzygium oleosum	Myrtaceae	Rainforest, Wet & Dry Sclerophyll Forest	4–7 m	White	0			Sun to semi-shade	Moist to dry	•	•	•	•	•	•	•	•	
Tree	Hollywood, White Holly	Auranticarpa rhombifolia	Pittosporaceae	Rainforest	9–15 m	White	\bigcirc			Sun to semi-shade	Moist to dry	•	•	•	•	•	•	•	• •	
Tree	Coast Banksia Dink Plandward	Banksia integrifolia	Proteaceae	Coastal	4–10 m	Yellow, Cream				Sun to semi-shade	Dry Maiat ta day	•	•	•	•	•	•	•	•	
Tree Tree	Pink Bloodwood Green Tamarind	Corymbia intermedia Elattostachys nervosa	Myrtaceae Sapindaceae	Dry Sclerophyll Forest Rainforest	30 m 10–20 m	White Yellow, Pink				Sun Sun	Moist to dry Moist to dry	•	•	•	•	•	•	•	• •	
Tree	Narrow-Leaved Ironbark	Eucalyptus crebra		Dry Sclerophyll Forest, Woodland	25–35 m	White				Sun	Dry to moist	•	•	•	•	•	•	•	• •	
Tree	Forest Red Gum	Eucalyptus tereticornis	'	Dry Sclerophyll Forest, Woodland	18–45 m	White	Ŏ			Sun	Moist to dry	•	•	•	•	•	•	•	• •	
Tree	Teak	Flindersia collina	Rutaceae	Dry Rainforest, Subtropical Rainforest	< 40 m	White	Õ			Sun to semi-shade	Well Drained	•	•	•	•	•	•	•	•	
Tree	Silky Oak	Grevillea robusta	Proteaceae	Wet Sclerophyll Forest, Rainforest	30 m	Yellow, Orange				Sun to semi-shade	Moist to dry	•	•	•	•	•	•	•	• •	
Tree	Cheese Tree	Glochidion ferdinandi	Phyllanthaceae	Wet Sclerophyll Forest, Coastal	10–25 m	Green, Yellow				Sun	Moist	•	•	•			•	•		
Tree	Swamp Box	Lophostemon suaveolens	Myrtaceae	Swampy ground	10–25 m	White	0			Sun	Moist	•	•	•	•	•	•	•	•	
Tree	Flax-leaved Paperbark	Melaleuca linariifolia	Myrtaceae	Varialble	6–10 m	White	\bigcirc			Sun to semi-shade	Moist to dry	•	•	•	•	•	•	•	• •	
Tree	Weeping Bottlebrush	Melaleuca viminalis	Myrtaceae	Rainforest & Open Forest	2–10 m	Red				Sun to semi-shade	Moist to moderate	•		•	•	•	•	•	• •	
Tree Vine / Climber	White Cedar Purple Coral Pea	Melia azedarach Hardenbergia violacea	Meliaceae Fabaceae	Subtropical & Dry Rainforest	< 12 m Climber	Cream, Pink				Semi-shade to shade Sun to semi-shade	,	•	•	•	•	•	•		•	
Vine / Climber Vine / Climber	Native Hoya	Hardenbergia violacea Hoya australis	Fabaceae Apocynaceae	Open Forest, Woodland Rainforest	Climber	Purple Cream				Sun to semi-shade	Dry to moist Moist to dry	•	•		•	•	•	•	• •	
Vine / Climber	asmine	Jasminum simplicifolium	Oleaceae	Drier Rainforest, Monsoon Forest	Climber	White				Sun to semi-shade	Variable	•	•	•	•	•	•	•	• •	
Vine / Climber	Climbing Guinea Flower	Hibbertia scandens	Dileniaceae	Forest, Woodland, Heathland	Climber	Yellow	-			Sun	Moist to dry	•	•	•	•	•	•		• •	
	,	-		· · · ·		1	-				. ,						(

Know your pollinators



European honey bees have two pairs of wings and long, segmented antennae. They are daytime-flying and feed on nectar and pollen. They are generalist pollinators and provide the bulk of pollination services for horticulture and crop plants. Honey bees and native bees are both essential to functioning ecosystems and food security in Australia.

Honey bees have become an important part of the Australian landscape. Honey bees live as colonies, and have a long history of coexistence with humans, including in domestic gardens.





Hoverfly [Fgmily Syrohidge] @Koren Betra **Australian native bees** comprise more than 2000 species, which provide essential pollination services. Native bees are generally solitary and live in nests in the ground or in hollow stems, old borer holes and other cracks and crevices, and some have evolved to pollinate particular native flowers through 'buzz pollination'. Although many Australian native bees are generalist foragers, some species have co-evolved with native plants and adapted to be the most effective pollinators of their flowers. Many native plant species, such as *Dianella* and *Grevillea* require specially adapted insects to access their nectar and enable the transfer of pollen to the stigma. Most native bees are solitary, but some species found in northern Australia (*Tetragonula* sp. and *Austroplebeia* sp.) are social bees and are used for commercial pollination of crops like macadamia nuts.

Fly species number up to 30,000 in Australia, and can be identified by having only one pair of flight wings. A second set of wings are modified into club-shaped paddles that allow flies to hover and stabilise their flight. Unlike bees and wasps, many flies (Brachycera) have very small, clubbed antennae at the front of their head. Flies, including blowflies, are often attracted to flowers that smell like carrion. Some flower-flies, have hairy bodies that easily collect pollen while they are feeding. Flies provide a range of services in the garden, including pollination, decomposition and predation.

Hoverflies are a type of fly, distinguishable by their large eyes, short antennae, bright black and yellow abdomen and their hovering flight behaviour. Adult hoverflies are nectar and pollen feeders. Hoverfly larvae feed on pests such as aphids, thrips and leafhoppers and are excellent biocontrol agents.



Beetles have hard outer wings that form their distinctive beetle shape. Their outer wings form a T-shape where they join at the top, unlike bugs where the outer wings make an X- or Y-shape. Some beetles feed on nectar and pollen, usually by crawling over flower surfaces. There are around 30,000 species of beetles in Australia, with many yet to be formally described.



Butterflies have wings covered in tiny scales. They have clubbed antennae and hold their wings upright when at rest. They are day-flying and have long tongues that they can use to feed on nectar in flowers with deep tubes. Butterflies are usually brightly coloured, with approximately 600 species found in Australia.



Moths also have wings covered in tiny scales and tend to be subtle in colour. They have antennae without clubs and hold their wings flat when at rest. They are generally dusk- and night-flying but there are some exceptions: the grapevine moth is a commonly seen day-flying moth. Moths feed on nectar. Australia has a high diversity of moth species, with up to 22,000 species thought to exist across the continent.

Flower forms



Generalist flowers can be pollinated by many different insects and animals. They are typically saucer shaped with many stamens and have a surface that insects can walk on. *Eucalyptus* flowers and daisy flowers are generalist flowers – they can be pollinated by bees, flies, beetles and butterflies.



Specialist flowers have modifications to their shape and size that only let certain pollinators access the nectar and pollen. These flowers might have deep flower tubes or narrow entry points so that only a select group of pollinators can access them. The advantage of specialisation is that pollination is very targeted and efficient, with accurate pollen placement made possible by co-evolution between flowers and insects. The disadvantage is that if the correct pollinator isn't there, the flowers aren't pollinated. Often, nectar is produced at the base of the flower, forcing pollinators to enter the flower fully and in the process, become covered in pollen.

Pollinator rewards

Nectar is a sugary solution, rich in carbohydrates, vitamins and minerals, produced by flowers and sometimes by glands on leaves or stems (called extra-floral nectaries). Nectar is attractive to insects, and provides an immediate energy source needed for tasks such as hunting pest insects, laying eggs in decomposing organic matter, collecting pollen, or parasitising other insects.

Carbohydrates alone don't support everything needed for health and growth, so insects also need pollen.

Pollen is rich in protein, fats and nutrients. Bees are vegetarian, and need to collect pollen to feed their offspring.

Buzz pollination

Some flowers do not produce any nectar; they specifically target pollencollecting bees, and only offer pollen rewards. To limit pollen loss and ensure effective pollination, some plants produce flowers with specialised, tubular anthers, that only open at the tip. To extract pollen, bees use vibrations to 'buzz' the pollen grains out of the pores of these anthers. Many crops are buzz pollinated, including tomatoes, potatoes, eggplants, capsicum, chillies, tomatillo and cranberries.

European honey bees are unable to buzz pollinate flowers, but several native bees, such as the blue-banded bee, teddy bear bee (*Amegilla* sp.) and carpenter bee (*Xylocopa* sp.) are exceptionally good large buzz pollinators, and have evolved to pollinate native plants such as flax lilies (*Dianella* sp.). Many of our smaller, ground nesting bees utilise vibration to help them excavate their burrows, and they also use that skill to buzz pollen from the anthers of native plants.

Planting buzz-pollinated species will encourage populations of buzz pollinators for successful pollination of food crops and ensure seed set in native plants. Many small ground nesting bees also buzz pollinate native flowers.

Nectar feeding

Grevillea flowers and other tubular flowers are often adapted to be successfully pollinated by birds. Pollen is 'presented' on a floral stigma that extends outside the flower. When birds feed on the nectar, pollen is deposited on their beaks or heads. Bees, also attracted to the sugary nectar, crawl into the side of the flower and feed on the nectar without encountering the pollen-laden stigma. The plant doesn't receive the pollination benefit from the insect, but flowers such Grevillea species can be a very useful source of nectar for insects in the cooler months.



Nurseries

Most of the plants shown in the planting guide will be available at nurseries that have a good stock of native plants. But if your local nursery doesn't stock the plant you're after, ask them to order it in. For a list of nurseries

that stock all the plants shown in the planting guide, plus other useful resources, visit the Wheen Bee Foundation website or scan the QR code.



WheenBeeFoundation.org.au/our-work/powerful-pollinators

Wheen Bee Foundation

Powerful Pollinators Planting Guides are produced by Wheen Bee Foundation. We fund vital strategic research and education initiatives that strengthen bees, improve pollination efficiency, and protect our food security and ecosystem health. Visit the website for more information.

WheenBeeFoundation.org.au

Far left: The spreading flax lily, *Dianella revoluta,* is buzz pollinated.

Left: This European honey bee is 'side-working': feeding on the nectar-rich flowers without coming into contact with the plant's pollen.

Front cover:

 Xylocopa aruana on a Ludwigia sp. flower. (Photo: Louis Backstrom)
Sunset over the Scenic Rim from Mt French, Mee-bor-rum. (Photo: Lachlan Gardiner)
European honey bees, Apis mellifera. (Photo: Kirrily Hughes)

Supported by:



scenicrim.qld.gov.au



uq.edu.au

PP-QLD25.2 (2023) Wheen Bee Foundation 2023. Compiled and written by Rachele Wilson with support from the University of Queensland. Licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License. To view a copy of this license, visit http://creativecommons.org/licenses/by-no-nd/4.0/

